


HOPITAL DE JOUR



CORTEGA

# CORTEGA



## CORTEGA

### BOARD


### TEGULAR



Prelude XL<sup>2</sup>/TLX 24 mm



Prelude XL<sup>2</sup>/TLX 24 mm



600 x 600 x 15 mm  
600 x 1200 x 15 mm

9102 M  
9101 M

9105 M



EN ISO 354 & EN ISO 11654


$\alpha_w$	NRC	125	250	500	1000	2000	4000	Hz
<b>0.55(H)</b>	0.55	0.30	0.35	0.50	0.65	0.70	0.80	$\alpha_p$

**Sound Absorption Class = D**



EN ISO 10848-2 / EN 20140-9 & EN ISO 717-1

**Dncw**  
**36 dB**



EN 13501-1

EEA Euroclass A2-s1, d0

RUS KM1 (G1, V1, D1, T1) FZ 123



EN 12667 & ISO 8301

$\lambda = 0.06 \text{ W/m K}$



70 % RH



$\approx 3.5 \text{ kg/m}^2$

PC 1205 Armstrong Building Products R.C.S. Besançon B 784 131 575 Printed in E.C. on chlorine free paper from sustainable resources.



Please contact our Armstrong Technical Sales group for further details.

[www.armstrong.eu](http://www.armstrong.eu)

