

ULTIMA+ dB

[www.armstrong.eu](http://www.armstrong.eu)

**Armstrong**<sup>®</sup>

# ULTIMA+ dB



Recycled Content\*

Light Reflectance

Confidentiality

## ULTIMA+ dB


	BOARD	TEGULAR	MICROLOOK 90	SL2	
	Prelude XL <sup>2</sup> /TLX 24 mm Prelude Sixty <sup>2</sup> 24 mm	Prelude XL <sup>2</sup> /TLX 24 mm Prelude Sixty <sup>2</sup> 24 mm	Prelude XL <sup>2</sup> /TL 15 mm Silhouette XL <sup>2</sup> 15 mm Interlude XL <sup>2</sup> 15 mm	Prelude Main Runner 24mm Prelude Sixty <sup>2</sup> Main Runner 24 mm	System Z
<b>Board &amp; Tiles</b>					
600 x 600 x 19 mm	7688 M	7695 M	7697 M		
625 x 625 x 19 mm	7688 D	7695 D	7697 D		
675 x 675 x 19 mm	7689 M	7696 M	7698 M		
600 x 1200 x 19 mm	7690 M				
<b>Planks</b>					
1500 x 300 x 23 mm					7691 M
1800 x 300 x 23 mm					7692 M
2500 x 300 x 23 mm					7693 M



EN ISO 354 & EN ISO 11654

$\alpha_w$	NRC	125	250	500	1000	2000	4000	Hz	
<b>Board, Tegular, MicroLook 90</b>									
• 0.60(H)	0.65	0.25	0.35	0.55	0.80	0.90	0.95		$\alpha_p$
<b>SL2</b>									
• 0.60(H)	0.55	0.35	0.40	0.50	0.60	0.75	0.85		$\alpha_p$

Sound Absorption Class = C



EN ISO 10848-2 & EN ISO 717-1

$D_{nfw}$
41 dB (Board, Tegular & MicroLook 90)
43 dB (SL2)



EN ISO 140-3 & EN ISO 717-1

$R_w$
21 dB (Board, Tegular & MicroLook 90)



EEA Euroclass A2-s1, d0	RUS KM1 (G1, V1, D1, T1)
EN 13501-1	FZ 123



EN 12667 & ISO 8301

$\lambda = 0.067$  W/m K



95 % RH



7.6 kg/m<sup>2</sup> (Board, Tegular, MicroLook 90)  
9.2 kg/m<sup>2</sup> (SL2)

\*ULTIMA+ dB tiles = 64% - ULTIMA+ dB Planks = 37%



Please contact our Armstrong Technical Sales Group for further details.

[www.armstrong.eu](http://www.armstrong.eu)

